

Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_ Date: \_\_\_\_\_

**Section 1: ID Risk Screen**

No Travel History    Last 7 Days    Last 14 Days    Last 21 Days    Last 2 Months

Recent Travel Location: \_\_\_\_\_

Family Member/Household/Contact Travel History

No Travel History    Last 7 Days    Last 14 Days    Last 21 Days    Last 2 Months

Recent Travel Location: \_\_\_\_\_

\*Contact with person with highly contagious disease (Ebola/MERS/2019-nCoV) AND have one or more of the systems below:    Yes    No

\*Travel to a country with wide-spread (Ebola/MERS/2019-nCoV) in the past 21 days AND have one or more of the systems below:    Yes    No

*Ebola Symptoms: Fever, Headache, Weakness, Muscle Pain, Vomiting, diarrhea, Abdominal Pain or Hemorrhage*

*MERS (Middle East Respiratory Syndrome) Symptoms: Fever, Chills/Rigors, Headache, Sore Throat, Cough, Difficulty Breathing, Nausea, Vomiting, Diarrhea, Abdominal Pain or Muscle Pain*

*Zika Symptoms: Macular or Papular Rash, Fever, Arthralgia or Conjunctivitis*

*Some symptoms are not unique for TB. For new or worsening cough, provide patient with a mask.*

*2019-nCov (2019-nCoV Novel Coronavirus) Symptoms: Fever and symptoms of lower respiratory illness (e.g., cough, difficulty breathing)*

Infectious Disease Risk Factors/Symptoms—(Only if YOU or FAMILY MEMBER has traveled)

	Yes	No
Chills		
Fever		
Fatigue		
Headache		
Runny or Stuffy Nose		
Sore Throat		
Difficulty Breathing		
Shortness of Breath		
New or Worsening Cough		
Wheezing		

	Yes	No
Vomiting		
Diarrhea		
Abdominal(Stomach Pain)		
Weakness/Numbness		
Exposure to Disease		
Abnormal Breathing		
Unexplained bruising		
Joint Pain		
Abscess		
Rash		

MDRO History Surveillance

	Yes	No
History of Clostridium Difficile		
History of Extended Spectrum beta-Lactamase		
History of MRSA		
History of Vancomycin-resistant enterococci		
History of Carbapenem-resistant Enterobacteriaceae		
Other		

Verify droplet, Contact Isolation for Ebola:  Yes  N/A

\*Verify Airborne, Contact Isolation for MERS/2019-CoV:  Yes  N/A

Does the patient have any of the following conditions that compromise the immune system?

<ul style="list-style-type: none"> <li><input type="checkbox"/> None</li> <li><input type="checkbox"/> Acquired immune deficiency syndrome (AIDS)</li> <li><input type="checkbox"/> AIDS related complex (ARC)</li> <li><input type="checkbox"/> Any immunodeficiency syndrome</li> <li><input type="checkbox"/> Chronic Lymphocytic Leukemia (CLL)</li> <li><input type="checkbox"/> Congenital or hereditary immunodeficiency</li> <li><input type="checkbox"/> Human Immunodeficiency Virus (HIV)</li> <li><input type="checkbox"/> Leukemia within 90 days</li> <li><input type="checkbox"/> Lymphocytic Leukemia within 90 days</li> <li><input type="checkbox"/> Marked Neutropenia within 90 days</li> <li><input type="checkbox"/> Myelodysplasia within 90 days</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Myelogenic Leukemia within 90 days</li> <li><input type="checkbox"/> Organ Transplant</li> <li><input type="checkbox"/> Pancytopenia within 90 days</li> <li><input type="checkbox"/> Prior hospitalization within 14 days</li> <li><input type="checkbox"/> Radiation therapy within 90 days</li> <li><input type="checkbox"/> Significant neutropenia within 90 days</li> <li><input type="checkbox"/> Systemic chemotherapy within 90 days</li> <li><input type="checkbox"/> Systemic corticosteroid/Prednisone therapy within 90 days</li> <li><input type="checkbox"/> Systemic immunosuppressive therapy within 90 days</li> </ul>
---	--

**Section 2: Summary**

Chief Complaint: \_\_\_\_\_

**Neck Circumference:** \_\_\_\_\_ inches

Onset of Symptoms: \_\_\_\_\_

Additional Information: \_\_\_\_\_

Preferred Language: \_\_\_\_\_ Method of Arrival: \_\_\_\_\_

Arrived With: \_\_\_\_\_ Consent Signed: \_\_\_\_\_

Onset of Symptoms: \_\_\_\_\_ Last Menstrual Period: \_\_\_\_\_

Vitals:

BP: \_\_\_\_\_ BP site: \_\_\_\_\_ HR: \_\_\_\_\_ HR Site: \_\_\_\_\_

Temp: \_\_\_\_\_ Site: \_\_\_\_\_ RR: \_\_\_\_\_ SpO2 %: \_\_\_\_\_ O2: \_\_\_\_\_

Measurements:

Height: \_\_\_\_\_ in/cm Weight: \_\_\_\_\_ lb/kg Method Weight Obtained: \_\_\_\_\_

Head Circumference: \_\_\_\_\_ cm Abdominal Circumference: \_\_\_\_\_ cm

Chest Circumference: \_\_\_\_\_ cm

**Section 3: Problems and Visit Diagnosis: Any changes from your previous visit?**

*Diagnosis:* Why are you being seen today?

Past Medical History:

Date	Problem

**Section 4: Medications/Allergies: Any changes from your previous visit?**

Please list **medications** (including supplements) you are taking now, as well as the **dose** and **date** you started taking it (if known):

Medication Name	Dose (amount taking)	Start Date

Please list any known **allergies** you have, as well as the **type of reaction**:

Allergy	Type of Reaction
Do You have a Latex (rubber) allergy?	<input type="checkbox"/> Yes <input type="checkbox"/> No

**Section 5: Procedures/Surgeries: Any changes from your previous visit?**


**Anesthesia and Transfusions:**

**Anesthesia/Transfusions**

- No anesthesia history
- Prior anesthesia
- Prior anesthesia reaction
- No transfusion history
- Prior transfusion
- Prior transfusion reaction
- Unknown

**Anesthesia Reaction(s)**

- None
- Awareness
- Cardiac arrest
- Difficult intubation
- Excessive post op nausea
- Hypertension
- Malignant hyperthermia
- Unknown reaction
- Vomiting
- Other:

**Blood Transfusion Acceptable**

- Yes
- No
- No, except for

**Acceptable Blood Related Products**

- Albumin
- Cryoprecipitate
- Darbepoetin (Aranesp)
- Erythropoietin
- Factor IX concentrates
- Factor VII concentrates
- Immune globulins
- Intraoperative cell salvage
- Intraoperative hemodilution
- Platelets
- Platelet derived topical agents
- Postoperative blood salvage/reinfusion
- RhoGAM
- Other:

**Transfusion Reaction(s)**

- |  |   |                                       |
|--|---|---------------------------------------|
| <input type="checkbox"/> Abdominal pain        | <input type="checkbox"/> Flushing                   | <input type="checkbox"/> Restlessness |
| <input type="checkbox"/> Anaphylactic reaction | <input type="checkbox"/> Generalized bleeding       | <input type="checkbox"/> Rigors       |
| <input type="checkbox"/> Anxiety               | <input type="checkbox"/> Headache                   | <input type="checkbox"/> Tachycardia  |
| <input type="checkbox"/> Back Pain             | <input type="checkbox"/> Hemoglobinuria             | <input type="checkbox"/> Tachypnea    |
| <input type="checkbox"/> Bronchospasm          | <input type="checkbox"/> Hypertension               | <input type="checkbox"/> Urticaria    |
| <input type="checkbox"/> Chest pain            | <input type="checkbox"/> Hypotension                | <input type="checkbox"/> Vomiting     |
| <input type="checkbox"/> Chills                | <input type="checkbox"/> Hypoxia                    | <input type="checkbox"/> Wheezing     |
| <input type="checkbox"/> Cyanosis              | <input type="checkbox"/> Joint pain                 | <input type="checkbox"/> Other:       |
| <input type="checkbox"/> Diarrhea              | <input type="checkbox"/> Nausea                     |                                       |
| <input type="checkbox"/> Dizziness             | <input type="checkbox"/> Oliguria                   |                                       |
| <input type="checkbox"/> Dyspnea               | <input type="checkbox"/> Oozing from puncture sites |                                       |
| <input type="checkbox"/> Fainting              | <input type="checkbox"/> Pain at insertion site     |                                       |
| <input type="checkbox"/> Fever                 | <input type="checkbox"/> Pruritus                   |                                       |
| <input type="checkbox"/> Flank pain            | <input type="checkbox"/> Rash                       |                                       |

**Moderate Sedation History**

- No prior sedation for procedure
- Prior sedation for procedure
- Unknown

**Previous Problems With Sedation**

- None
- Nausea
- Vomiting
- Unknown reaction
- Other:

**Section 6: Family History: Any changes from your previous visit?**


**Section 7: Social History**

Have you been hospitalized outside the US in past 6 months?  Yes  No

Patient shows signs/symptoms of neglect?  Yes  No

History Assessed:  Yes  No

Have you used Tobacco anytime during the past 30 days?  Yes  No

Alcohol Use:  Current  Past  Never

Type:  Beer  Wine  Liquor  Other:

Frequency:  1-2 x year  1-2 x month  1-2 x week  3-5 x week  Daily  Several x Day

Tobacco Use:

Current Status unknown  Unknown if ever smoked  Current every day smoker

Current some day smoker  Former smoker  Never smoker

Heavy tobacco smoker  Light tobacco smoker

**Electronic Cigarette Use:**

Never  Use, within 90 days  Former use, greater than 90 days

Refused screening  Unknown/Not Obtained  Other

Type: \_\_\_\_\_ Uses/Inhales per day: \_\_\_\_\_

Substance Use:  Current  Past  Never

Type: \_\_\_\_\_

Caffeine Use:  Yes  No

Type: \_\_\_\_\_ Caffeine per day: \_\_\_\_\_

Marital Status:  Married  Single  Divorced  Widowed  Other: \_\_\_\_\_

Number of Children: \_\_\_\_\_

**Living Arrangements:**

Alone  Family/Significant Other  Assisted Living  Other: \_\_\_\_\_

Do you have daily help needed for self-care?  Yes  No  Name of Caregiver: \_\_\_\_\_

**Activities of Daily Living:** Any difficulty with?  Speech or Communication  Memory

Speech or Communication  Memory  Bathing  Household Duties

**Physical Activity:** Exercise Type: \_\_\_\_\_ Frequency: \_\_\_\_\_

**Section 8: Morse Fall Risk**

History of Falling Immediate or Within Last 3 Months:  Yes  No

Presence of Secondary Diagnosis:  Yes  No

Use of Ambulatory Aid:  Furniture  Crutches, cane, walker  None, bedrest, wheelchair

IV/Heparin Lock:  Yes  No

Gait/Transferring:  Impaired  Weak  Normal, bedrest, immobile

Mental Status:  Forgets Limitations  Oriented to own ability

**Section 9: Advance Directives**

Advance Directives:  Yes  No

Patient Wishes to Receive Further Information on Advance Directives:  Yes  No

**Section 10: Health Status**

<p><b>Allergies Verified</b></p> <p><input type="radio"/> Yes <input type="radio"/> No</p>	<p><b>Meds Verified</b></p> <p><input type="radio"/> Yes <input type="radio"/> No</p>	<p><b>History Verified</b></p> <p><input type="radio"/> Yes <input type="radio"/> No</p>
--	---	--

Immunizations Current:  Yes  No  Non Received  Unknown  Vaccine Recommended  
 Other

**Patient Counseled**

Nutrition  Other:  
 Physical activity  
 Elevated BMI

<p><b>Medical Devices</b></p> <p><input type="checkbox"/> None <input type="checkbox"/> Pacemaker <input type="checkbox"/> Implantable cardioverter-defibrillator <input type="checkbox"/> Other: <input type="checkbox"/> Insulin pump <input type="checkbox"/> Medication pump</p>	<p><b>Durable Medical Equipment</b></p> <p><input type="checkbox"/> Oxygen therapy <input type="checkbox"/> Commode <input type="checkbox"/> Immobilizer <input type="checkbox"/> Walker <input type="checkbox"/> CPAP <input type="checkbox"/> Other: <input type="checkbox"/> Wheelchair <input type="checkbox"/> Spirometry <input type="checkbox"/> Bed <input type="checkbox"/> Splint</p>
--	---

**Section 11: Depression Screening**

**PHQ2-PHQ9 Screening:**

Over the past 2 weeks, how often have you been bothered by any of the following problems?	Not At All	Several Days	More than ½ the Days	Nearly Every Day		
1. Little interest or pleasure in doing things:	0	1	2	3		
2. Feeling down, depressed or hopeless:	0	1	2	3		
<b>If you answered 0 to the questions above- stop</b>						
3. Trouble falling asleep, staying asleep or sleeping too much:	0	1	2	3		
4. Feeling tired or having little energy:	0	1	2	3		
5. Poor appetite or overeating:	0	1	2	3		
6. Feeling bad about yourself:	0	1	2	3		
7. Trouble concentrating:	0	1	2	3		
8. Moving or speaking so slowly:	0	1	2	3		
9. Thoughts that you would be better off dead or of hurting yourself in some way:	0	1	2	3		
10. Difficulty at work, home, or getting along with others:	0	1	2	3		
Column Totals:						
<b>Add Totals Together:</b>						
11. If you checked off any problems, how difficult have those problems made it for you to do your work, take care of things at home, or get along with other people? <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <input type="checkbox"/> Not Difficult at all  <input type="checkbox"/> Very Difficult             </td> <td style="width: 50%; vertical-align: top;"> <input type="checkbox"/> Somewhat Difficult  <input type="checkbox"/> Extremely Difficult             </td> </tr> </table>					<input type="checkbox"/> Not Difficult at all <input type="checkbox"/> Very Difficult	<input type="checkbox"/> Somewhat Difficult <input type="checkbox"/> Extremely Difficult
<input type="checkbox"/> Not Difficult at all <input type="checkbox"/> Very Difficult	<input type="checkbox"/> Somewhat Difficult <input type="checkbox"/> Extremely Difficult					

## Adult Questionnaire - Sleep Clinic

Please completely fill in the circles which best describe your current condition. Please answer all questions. Thank you

	Yes	No		Yes	No
<b>Pulmonary:</b>			<b>Gastrointestinal:</b>		
Shortness of breath at rest	<input type="radio"/>	<input type="radio"/>	Trouble swallowing	<input type="radio"/>	<input type="radio"/>
Shortness of breath with exercise	<input type="radio"/>	<input type="radio"/>	Choking on food	<input type="radio"/>	<input type="radio"/>
Frequent cough	<input type="radio"/>	<input type="radio"/>	Heartburn	<input type="radio"/>	<input type="radio"/>
Coughing up blood	<input type="radio"/>	<input type="radio"/>	Abdominal pain	<input type="radio"/>	<input type="radio"/>
Chest pain	<input type="radio"/>	<input type="radio"/>	Nausea	<input type="radio"/>	<input type="radio"/>
Wake up at night short of breath	<input type="radio"/>	<input type="radio"/>	Vomiting	<input type="radio"/>	<input type="radio"/>
Recurrent chest infections	<input type="radio"/>	<input type="radio"/>	Diarrhea	<input type="radio"/>	<input type="radio"/>
Exposure to tuberculosis	<input type="radio"/>	<input type="radio"/>	Ulcers	<input type="radio"/>	<input type="radio"/>
Wheezing	<input type="radio"/>	<input type="radio"/>	Jaundice	<input type="radio"/>	<input type="radio"/>
Blood clot in legs or lungs	<input type="radio"/>	<input type="radio"/>	<b>Renal:</b>		
<b>Cardiac:</b>			Blood in urine	<input type="radio"/>	<input type="radio"/>
High blood pressure	<input type="radio"/>	<input type="radio"/>	Urinary tract infections	<input type="radio"/>	<input type="radio"/>
Heart attack	<input type="radio"/>	<input type="radio"/>	Kidney stones	<input type="radio"/>	<input type="radio"/>
Leg swelling	<input type="radio"/>	<input type="radio"/>	Frequent urination at night	<input type="radio"/>	<input type="radio"/>
Heart racing or thumping	<input type="radio"/>	<input type="radio"/>	Painful urination	<input type="radio"/>	<input type="radio"/>
Rheumatic fever	<input type="radio"/>	<input type="radio"/>	<b>Neurologic:</b>		
Needs to sleep on 2 or more pillows	<input type="radio"/>	<input type="radio"/>	Stroke	<input type="radio"/>	<input type="radio"/>
High cholesterol	<input type="radio"/>	<input type="radio"/>	Migraines	<input type="radio"/>	<input type="radio"/>
<b>Constitutional symptoms:</b>			Frequent headaches	<input type="radio"/>	<input type="radio"/>
Fever	<input type="radio"/>	<input type="radio"/>	Numbness or tingling	<input type="radio"/>	<input type="radio"/>
Night sweats	<input type="radio"/>	<input type="radio"/>	Seizure	<input type="radio"/>	<input type="radio"/>
Chills	<input type="radio"/>	<input type="radio"/>	Dizziness	<input type="radio"/>	<input type="radio"/>
Weight loss	<input type="radio"/>	<input type="radio"/>	Imbalance or unsteadiness	<input type="radio"/>	<input type="radio"/>
<b>Musculoskeletal:</b>			Vertigo	<input type="radio"/>	<input type="radio"/>
Muscle weakness	<input type="radio"/>	<input type="radio"/>	<b>Hematology/Oncologic:</b>		
Joint pain	<input type="radio"/>	<input type="radio"/>	Anemia	<input type="radio"/>	<input type="radio"/>
Joint swelling	<input type="radio"/>	<input type="radio"/>	Cancer	<input type="radio"/>	<input type="radio"/>
<b>Psychiatric:</b>			Bleeding tendency	<input type="radio"/>	<input type="radio"/>
Depression	<input type="radio"/>	<input type="radio"/>	Blood transfusion	<input type="radio"/>	<input type="radio"/>
Anxiety	<input type="radio"/>	<input type="radio"/>	<b>ENT:</b>		
Poor sleep	<input type="radio"/>	<input type="radio"/>	Blurred vision	<input type="radio"/>	<input type="radio"/>
Snoring	<input type="radio"/>	<input type="radio"/>	Decreased hearing	<input type="radio"/>	<input type="radio"/>
Morning headaches or awakening	<input type="radio"/>	<input type="radio"/>	Frequent sore throat	<input type="radio"/>	<input type="radio"/>
Excessive sleep during day	<input type="radio"/>	<input type="radio"/>	Sinus infections	<input type="radio"/>	<input type="radio"/>
Panic attacks	<input type="radio"/>	<input type="radio"/>	Hay fever	<input type="radio"/>	<input type="radio"/>
			Hoarseness	<input type="radio"/>	<input type="radio"/>



### New Patient Adult Sleep Medicine Questionnaire – Sleep Clinic

<b>Epworth Sleepiness Scale</b>				
<p>How likely are you to doze off or fall asleep in the following situations, in contrast to just feeling tired? This applies to your usual sleepiness since starting therapy. Even if you have not done some of these things recently, try to work out how they would have affected you.</p> <p>Use the scale below to choose the most appropriate number for each situation:</p> <p>0 = would <b>never</b> doze    1 = <b>slight</b> chance    2 = <b>moderate</b> chance    3 = <b>high</b> chance</p>				
<b>Situation:</b>	<b>Chance of Dozing</b>			
	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>
Sitting and reading				
Watching TV				
Sitting inactive in a public place (e.g., movie theater or meeting)				
As a passenger in a car for an hour without a break				
Lying down to rest in the afternoon when circumstances permit				
Sitting and talking to someone				
Sitting quietly after lunch without alcohol				
In a car while stopped for a few minutes in traffic				
<b>IF YOU ARE ON CPAP/BIPAP PLEASE ANSWER THE FOLLOWING QUESTIONS:</b>				
Are you wearing a full face, over the nose, under the nose, or nasal pillow? (circle one)		<b>YES</b>	<b>NO</b>	
Does your mask fit well?				
Are you wearing a chin strap?				
Is your mask leaking? If yes, where on your face is the leak occurring?		<b>YES</b>	<b>NO</b>	
Are you choking, gasping, snoring or short of breath while wearing your mask?		<b>YES</b>	<b>NO</b>	
Are you experiencing air in your stomach that causes bloating or gassiness?		<b>YES</b>	<b>NO</b>	
Are you experiencing dry mouth?		<b>YES</b>	<b>NO</b>	
How long does it take you to fall asleep at night? _____				
How many times do you wake up at night? _____ List causes for awakenings:				
How many hours do you sleep at night? Bedtime: _____ Wake time: _____				
Do you feel more refreshed in the morning upon waking?		<b>YES</b>	<b>NO</b>	
Are you napping?		<b>YES</b>	<b>NO</b>	
Are you exercising?		<b>YES</b>	<b>NO</b>	
Are you working on weight loss?		<b>YES</b>	<b>NO</b>	
Are you taking sleep aids?		<b>YES</b>	<b>NO</b>	
Are you on oxygen at night?		<b>YES</b>	<b>NO</b>	
Are you being treated for Restless Leg Syndrome?		<b>YES</b>	<b>NO</b>	
How long have you been in PAP therapy?				
What concerns do you have about your PAP therapy?				

