

Name:	Date of Birth:	Date:
Section 1: ID Risk Screen		
■ No Travel History □ Last 7 Days	☐Last 14 Days ☐Last 21	Days Last 2 Months
Recent Travel Location:		
Family Member/Household/Contact Tra	vel History	
■ No Travel History □ Last 7 Days	☐Last 14 Days ☐Last 21	Days Last 2 Months
Recent Travel Location:		
*Contact with person with highly contag the systems below:  Yes No	gious disease (Ebola/MERS/	'2019-nCoV) AND have one or more of
*Travel to a country with wide-spread more of the systems below:   Yes		in the past 21 days AND have one or
Ebola Symptoms: Fever, Headache, W Hemorrhage	'eakness, Muscle Pain, Vo	miting, diarrhea, Abdominal Pain or
MERS (Middle East Respiratory Syndrom Difficulty Breathing, Nausea, Vomiting, Zika Symptoms: Macular or Papular Ras Some symptoms are not unique for TB. 2019-nCov (2019-nCoV Novel Coronavide.g., cough, difficulty breathing)	Diarrhea, Abdominal Pain o h, Fever, Arthralgia or Conj For new or worsening coug rus) Symptoms: Fever and	or Muscle Pain unctivitis h, provide patient with a mask. symptoms of lower respiratory illness
Infectious Disease Risk Factors/Symptor	ns—(Uniy if YUU or FAMILY	WEWBER has travelea)

	Yes	No
Chills		
Fever		
Fatigue		
Headache		
Runny or Stuffy Nose		
Sore Throat		
Difficulty Breathing		
Shortness of Breath		
New or Worsening Cough		
Wheezing		
MDRO History Surveillance		•

	Yes	No
Vomiting		
Diarrhea		
Abdominal(Stomach		
Pain)		
Weakness/Numbness		
Exposure to Disease		
Abnormal Breathing		
Unexplained bruising		
Joint Pain		
Abscess		
Rash		

	Yes	No
History of Clostridium Difficile		
History of Extended Spectrum beta-Lactamase		
History of MRSA		
History of Vancomycin-resistant enterococci		
History of Carbapenem-resistant Enterobacteriaceae		
Other		



Verify droplet, Contact Isolation for Ebola:	es  N/A
*Verify Airborne, Contact Isolation for MERS/2019	-CoV:  Yes N/A
Does the patient have any of the following condition	ons that compromise the immune system?
<ul> <li>None</li> <li>Acquired immune deficiency syndrome (AIDS)</li> <li>AIDS related complex (ARC)</li> <li>Any immunodeficiency syndrome</li> <li>Chronic Lymphocytic Leukemia (CLL)</li> <li>Congenital or hereditary immunodeficiency</li> <li>Human Immunodeficiency Virus (HIV)</li> <li>Leukemia within 90 days</li> <li>Lymphocytic Leukemia within 90 days</li> <li>Marked Neutropenia within 90 days</li> <li>Myelodysplasia within 90 days</li> </ul>	<ul> <li>Myelogenic Leukemia within 90 days</li> <li>Organ Transplant</li> <li>Pancytopenia within 90 days</li> <li>Prior hospitalization within 14 days</li> <li>Radiation therapy within 90 days</li> <li>Significant neutropenia within 90 days</li> <li>Systemic chemotherapy within 90 days</li> <li>Systemic corticosteroid/Prednisone therapy within 90 days</li> <li>Systemic immunosuppressive therapy within 90 days</li> </ul>
Section 2: Summary	
Chief Complaint:	
Neck Circumference:inches	
Onset of Symptoms:	
Additional Information:	
Preferred Language: M	ethod of Arrival:
Arrived With: Co	nsent Signed:
Onset of Symptoms:	Last Menstrual Period:
Vitals:	
BP: BP site:	HR: HR Site:
	SpO2 %: O2:
Measurements:	
Height:in/cm Weight:	lb/kg Method Weight Obtained:
Head Circumference:cn Chest Circumference:cr	n Abdominal Circumference:cn



# Section 3: Problems and Visit Diagnosis: Any changes from your previous visit? Diagnosis: Why are you being seen today? Past Medical History: Date **Problem** Section 4: Medications/Allergies: Any changes from your previous visit? Please list $\underline{\text{medications}}$ (including supplements) you are taking now, as well as the $\underline{\text{dose}}$ and date you started taking it (if known): **Medication Name** Dose (amount taking) **Start Date** Please list any known allergies you have, as well as the type of reaction: **Allergy** Type of Reaction

☐ No

☐ Yes

Do You have a Latex (rubber) allergy?



# <u>Section 5: Procedures/Surgeries:</u> Any changes from your previous visit?

Anesthesia and Transfu		
Anesthesia/Transfusions  No anesthesia history Prior anesthesia Prior anesthesia reaction No transfusion history Prior transfusion Prior transfusion reaction Unknown	Anesthesia Reaction(s)  None Awareness Cardiac arrest Difficult intubation Excessive post op nausea Hypertension Malignant hyperthermia Unknown reaction Vomiting Other:	Blood Transfusion Acceptable  Yes No No No, except for  Acceptable Blood Related Products  Albumin Cryoprecipitate Darbepoetin (Aranesp) Erythropoietin Factor IX concentrates Factor VII concentrates Immune globulins
Transfusion Reaction(s)		☐ Intraoperative cell salvage
Abdominal pain Anaphylactic reaction Anxiety Back Pain Bronchospasm Chest pain Chills Cyanosis Dizziness Dizziness Fainting Fever	Flushing Restlessness Generalized bleeding Rigors Headache Tachycardia Hemoglobinuria Tachypnea Hypertension Utricaria Hypotension Vomiting Hypoxia Wheezing Joint pain Other: Nausea Oliguria Oozing from puncture sites Pruritus Rash	
Moderate Sedation History  O No prior sedation for procedure O Prior sedation for procedure O Unknown	Previous Problems With Sedation  None Unknown reaction Nausea Other: Vomiting	



Section 6: Family History: Any changes from your previous visit?			
Section 7: Social History			
Have you been hospitalized outside the US in past 6 months?  Yes No			
Patient shows signs/symptoms of neglect?			
History Assessed: ☐ Yes ☐ No			
Have you used Tobacco anytime during the past 30 days? ☐ Yes ☐ No			
Alcohol Use:    Current    Past    Never			
Type:			
Frequency:			
Tobacco Use:			
☐ Current Status unknown ☐ Unknown if ever smoked ☐ Current every day smoker			
☐ Current some day smoker ☐ Former smoker ☐ Never smoker			
☐ Heavy tobacco smoker ☐ Light tobacco smoker			
Electronic Cigarette Use:			
■ Never Use, within 90 days ■ Former use, greater than 90 days			
☐ Refused screening ☐ Unknown/Not Obtained ☐ Other			
Type: Uses/Inhales per day:			
Substance Use:  Current  Past  Never			
Type:			
Caffeine Use:			
Type: Caffeine per day:			
Marital Status: ☐ Married ☐ Single ☐ Divorced ☐ Widowed ☐ Other:			
Number of Children:			
Living Arrangements:			
☐ Alone ☐ Family/Significant Other ☐ Assisted Living ☐ Other:			



Do you have daily help needed for self-care?	J Yes □ No □ Name of Caregiver:
Activities of Daily Living: Any difficulty with?	Speech or Communication Memory
☐ Speech or Communication ☐ Memory ☐	<b>☐</b> Bathing ☐ Household Duties
Physical Activity: Exercise Type:	Frequency:
Section 8: Morse Fall Risk	
History of Falling Immediate or Within Last 3 Mont	hs: 🗖 Yes 🗖 No
Presence of Secondary Diagnosis:	No
Use of Ambulatory Aid:	es, cane, walker   None, bedrest, wheelchair
IV/Heparin Lock:	
Gait/Transferring:	Normal, bedrest, immobile
Mental Status:	nted to own ability
Section 9: Advance Directives	
Advance Directives:    Yes    No	
Patient Wishes to Receive Further Information on A	Advance Directives:
Section 10: Health Status	
Allergies Verified Meds Verified Histor  O Yes O No O No	
Immunizations Current: ☐ Yes ☐ No ☐ Non Rec☐ Other	eived  Unknown  Vaccine Recommended
Patient Counseled  Nutrition Other: Physical activity Elevated BMI	
Medical Devices  None Pacemaker Implantable cardioverter-defibrillator Other: Insulin pump Medication pump	Durable Medical Equipment  Doxygen therapy Commode Immobilizer Walker CPAP Other: Wheelchair Spirometry Bed Splint



### **Section 11: Depression Screening**

#### PHQ2-PHQ9 Screening:

Over the past 2 weeks, how often have you been	Not At	Several	More	Nearly	
bothered by any of the following problems?	All	Days	than ½	Every	
			the Days	Day	
1. Little interest or pleasure in doing things:	0	1	2	3	
2. Feeling down, depressed or hopeless:	0	1	2	3	
If you answered 0 to the qu	estions al	oove- stop			
3. Trouble falling asleep, staying asleep or	0	1	2	3	
sleeping too much:					
4. Feeling tired or having little energy:	0	1	2	3	
5. Poor appetite or overeating:	0	1	2	3	
6. Feeling bad about yourself:	0	1	2	3	
7. Trouble concentrating:	0	1	2	3	
8. Moving or speaking so slowly:	0	1	2	3	
9. Thoughts that you would be better off dead	0	1	2	3	
or of hurting yourself in some way:					
10. Difficulty at work, home, or getting along with	0	1	2	3	
others:					
Column Totals:					
Add Totals Together:					
11. If you checked off any problems, how difficult h	ave those p	roblems ma	de it for you	to do your	
work, take care of things at home, or get along	with other	people?			
Not Difficult at all Somewhat Difficult					
☐ Very Difficult ☐ Extremely Difficult					
	·				



# **Adult Questionnaire - Sleep Clinic**

Please completely fill in the circles which best describe your current condition. Please answer all questions. Thank you

Pulmonary:	Yes	No	Gastrointestinal:	Yes	No
Shortness of breath at rest	0	0	Trouble swallowing	0	Ο
Shortness of breath with exercise	0	0	Choking on food	0	0
Frequent cough	0	0	Heartburn	0	0
Coughing up blood	0	0	Abdominal pain	0	0
Chest pain	0	0	Nausea	0	0
Wake up at night short of breath	0	0	Vomiting	0	0
Recurrent chest infections	0	0	Diarrhea	0	0
Exposure to tuberculosis	0	0	Ulcers	0	0
Wheezing	0	0	Jaundice	0	0
Blood clot in legs or lungs	0	0	Panal.		
Blood clot in legs of fullgs	0	0	<b>Renal:</b> Blood in urine		
Cardiac:				0	Ο
High blood pressure	_	_	Urinary tract infections	0	Ο
Heart attack	0	0	Kidney stones	0	0
Leg swelling	0	0	Frequent urination at night	0	Ο
Heart racing or thumping	0	0	Painful urination	0	Ο
Rheumatic fever	0	0	Neurologic:		
Needs to sleep on 2 or more pillows	0	0	Stroke	0	0
High cholesterol	0	0	Migraines	0	0
riigii cilolesteroi	0	0	Frequent headaches	0	0
Constitutional symptoms:			Numbness or tingling	0	0
Fever			Seizure	0	0
Night sweats	0	0	Dizziness	0	0
Chills	0	0	Imbalance or unsteadiness	0	0
Weight loss	0	0	Vertigo	0	0
	0	0	· ·		
Musculoskeletal:			Hamatalagu/Oncologia		
Muscle weakness	0	0	Hematology/Oncologic:		
Joint pain	0	0	Anemia	0	О
Joint swelling	0	0	Cancer	0	0
			Bleeding tendency	0	0
Psychiatric:			Blood transfusion	0	0
Depression	0	0	ENT.		
Anxiety	0	0	ENT:	0	0
Poor sleep	0	0	Blurred vision		0
Snoring	0	0	Decreased hearing	0	0
Morning headaches or awakening	О	0	Frequent sore throat	0	0
Excessive sleep during day	0	0	Sinus infections	0	0
Panic attacks	Ο	0	Hay fever	0	0
			Hoarseness	0	0



### **Epworth Sleepiness Scale – Sleep Clinic**

How likely are you to doze off or fall asleep in the following situations, in contrast to feeling just tired? This refers to your usual way of life in recent times. Even if you have not done some of these things recently try to work out how they would have affected you. Use the following scale to choose the most appropriate number for each situation:

0 = no chance of dozing

1 = slight chance of dozing

2 = moderate chance of dozing

3 = high chance of dozing

#### Situation:

#### Chance of dozing (please circle answer)

Sitting and reading	0	1	1 2	3	
Watching TV	0	1	2	3	
Sitting, inactive in a public place (theater or meeting)	0	1	2	3	
As a passenger in a car for an hour without a break	0	1	2	3	
Lying down to rest in the afternoon when circumstances permit	0	1	2	3	
Sitting and talking to someone	0	1	2	3	
Sitting quietly after lunch without alcohol	0	1	2	3	
In a car, while stopped for a few minutes in traffic	0	1	2	3	
Total					